

# CARE & MAINTENANCE

## Bathtub & Shower

### Congratulations on your bathtub/shower transformation!

A resurfaced bathtub/shower should provide years of service when given the same care and maintenance recommended by new tub manufacturers like Kohler, American Standard, Lasco and others.

- WAIT 24 HOURS BEFORE USING YOUR REFINISHED SURFACE
- USE ONLY NON-ABRASIVE OR LIQUID CLEANERS
  - Formula 409<sup>®</sup>, Lysol<sup>®</sup> Tub & Tile Cleaner, Scrubbing Bubbles<sup>®</sup>, Dawn<sup>®</sup> dishwashing liquid, Pine-Sol<sup>®</sup> original formula, white vinegar & water (equal parts)
- DO NOT USE ABRASIVE CLEANSERS, HARSH ACIDS OR CLEANERS THAT CONTAIN BLEACH OR PEROXIDE
  - These materials can discolor or damage the surface causing premature wear
- DO NOT LEAVE ANY CLEANERS OR CHEMICALS ON THE SURFACE FOR MORE THAN 5 MINUTES BEFORE THOROUGHLY RINSING
- USE ONLY A NON-ABRASIVE SPONGE OR DAMP CLOTH
  - Abrasive cleaning pads can dull or scratch a refinished surface
- ALWAYS RINSE THOROUGHLY AFTER CLEANING AND WIPE SURFACE DRY
- TO CLEAN A SLIP-RESISTANT SURFACE, apply a liquid cleaner and let it sit for 3-5 minutes. Agitate lightly with a nylon brush, rinse thoroughly and dry.
- POLISH REFINISHED SURFACE EVERY 6 MONTHS
- Use only a suction-cup-free bathmat and remove it after use to let the surface dry.



# CARE & MAINTENANCE

## Countertop

### **Congratulations on your countertop transformation!**

A resurfaced countertop should provide many years of service when given the same care and maintenance recommended by new solid surface countertop manufacturers like Formica<sup>®</sup>, Wilsonart<sup>®</sup>, Corian<sup>®</sup>, Silestone<sup>®</sup>, and others.

- WAIT 24 HOURS BEFORE USING YOUR REFINISHED SURFACE
- USE A CUTTING BOARD AND ALWAYS PLACE A HOTPAD UNDER HOT POTS AND PANS
  - Like laminate and solid surface countertops, a refinished surface can also be damaged by knife cuts and direct contact with heat
- USE ONLY A NON-ABRASIVE SPONGE OR DAMP CLOTH
  - Abrasive cleaning pads can dull or scratch a refinished surface
- USE ONLY NON-ABRASIVE, LIQUID CLEANERS, OR MILD SOAP AND WATER
  - Mr. Clean<sup>®</sup>, Fantastik<sup>®</sup>, or Formula 409<sup>®</sup> are recommended
- DO NOT USE ABRASIVE CLEANSERS, HARSH ACIDS OR CLEANERS THAT CONTAIN BLEACH OR PEROXIDE
  - These materials can discolor or damage the surface causing premature wear
- DO NOT LEAVE ANY CLEANERS OR CHEMICALS ON THE SURFACE FOR MORE THAN 5 MINUTES BEFORE THOROUGHLY RINSING



# CARE & MAINTENANCE

## Tile

### **Congratulations on your tile transformation!**

A resurfaced tile countertop, wall or floor should provide many years of service when given the same care and maintenance recommended by tile manufacturers.

- WAIT 24 HOURS BEFORE USING YOUR REFINISHED SURFACE
- USE ONLY A NON-ABRASIVE SPONGE OR DAMP CLOTH
  - Abrasive cleaning pads and brushes can dull or scratch a refinished surface
- USE ONLY NON-ABRASIVE, LIQUID CLEANERS, OR MILD SOAP AND WATER
  - Mr. Clean<sup>®</sup>, Fantastik<sup>®</sup>, or Formula 409<sup>®</sup> are recommended
- DO NOT USE ABRASIVE CLEANSERS, HARSH ACIDS OR CLEANERS THAT CONTAIN BLEACH OR PEROXIDE
  - These materials can discolor or damage the surface causing premature wear
- DO NOT LEAVE ANY CLEANERS OR CHEMICALS ON THE SURFACE FOR MORE THAN 5 MINUTES BEFORE THOROUGHLY RINSING
- FOR BEST RESULTS, SPRAY THE SURFACE WITH LIQUID CLEANER, WIPE IT OFF, AND FOLLOW BY RINSING WITH FRESH WATER



# CARE & MAINTENANCE

## Concrete Floors

### **Congratulations on your floor transformation!**

A resurfaced concrete floor should provide many years of service when properly cared for and maintained.

- WAIT 24 HOURS BEFORE USING YOUR RESURFACED CONCRETE FLOOR

### **MINOR SPILLS:**

- WIPE UP WITH PAPER TOWEL OR SOFT CLOTH

### **SPOT CLEANING (Recommended) OR GENERAL CLEANING:**

- USE ONLY A NON-ABRASIVE MOP, DAMP CLOTH, OR DUSTER
  - Abrasive cleaning mop heads and brushes can dull or scratch a refinished surface
- USE ONLY NON-ABRASIVE, LIQUID CLEANERS AND WATER
  - Mr. Clean®, Fantastik®, or Formula 409® are recommended
- DO NOT USE ABRASIVE CLEANSERS, HARSH ACIDS, OR CLEANERS THAT CONTAIN BLEACH OR PEROXIDE
  - These materials can discolor or damage the surface causing premature wear
- DO NOT LEAVE ANY CLEANERS OR CHEMICALS ON THE SURFACE FOR MORE THAN 5 MINUTES BEFORE THOROUGHLY RINSING

NOTE: Repeated use of soap and cleaners may leave residue and will dull finish over time.

